

University Mohamed Boudiaf - Msila
Faculty of Mathematics and Computer Science
Department of Computer Science
1st Year Master - RTIC



Web Technologies Browser-side languages

Mohamed Kamel

Academic Year 2022/2023

Table of Contents

1 Basic Web Architecture

2 HTML


3 Javascript

4 CSS

Basic Web Architecture

The web is a two-tiered architecture:

- A web browser displays information content,
- A web server that transfers information to the client.



Web Browser

- A web browser is a software application for retrieving, presenting, and traversing information resources on the World Wide Web.
- The primary purpose of a web browser is to bring information resources to the user.
- The major web browsers are Mozilla Firefox, Apple Safari, Google Chrome, Microsoft Edge, and Opera.

Web Server

The term **web server** or **webserver** can mean one of two things:

- A computer program that accepts HTTP requests and return HTTP responses with optional data content.
- A computer that runs a computer program as described above.

Introduction to HTML

- HTML stands for **H**yper **T**ext **M**arkup **L**anguage
- HTML is not a programming language, it is a Markup Language
- A markup language is a set of markup tags
- HTML uses markup tags to describe web pages
- HTML is not case sensitive language
- HTML documents contain HTML tags and plain text

HTML Elements

- A tag is always enclosed in angle brackets <> like <HTML>
- HTML tags generally come in opening and closing pairs like <HTML> and </HTML>

HTML Document

- All HTML documents must start with a document type declaration: `<!DOCTYPE html>`
- The HTML document itself begins with `<html>` and ends with `</html>`
- The visible part of the HTML document is between `<body>` and `</body>`

Introduction

A basic example is shown below

HTML Page Example

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>Page Title</title>
5   </head>
6   <body>
7     Hello World!
8   </body>
9 </html>
```

Page Title

Hello World!

Headings

HTML headings are defined with `<h1>` ... `<h6>`

Headings Example

```
1 <h1>This is heading 1</h1>
2 <h2>This is heading 2</h2>
3 <h3>This is heading 3</h3>
4 <h4>This is heading 3</h4>
5 <h5>This is heading 3</h5>
6 <h6>This is heading 3</h6>
```

This is heading 1

This is heading 2

This is heading 3

This is heading 4

This is heading 5

This is heading 6

Paragraphs

Paragraphs Example

```
1 <p>This is a paragraph.</p>
2 <p>This is another paragraph.</p>
```

This is a paragraph.

This is another paragraph.

Links

Link Example

```
1      <a href="https://www.univ-msila.dz">  
          University of Msila</a>
```

[University of M'sila](https://www.univ-msila.dz)

Images

Image Example

```
1 
```



Tables

Headings Example

```
1 <table>
2   <tr>
3     <th>Name</th>
4     <th>Age</th>
5   </tr>
6   <tr>
7     <td>Mohamed</td>
8     <td>10</td>
9   </tr>
10  <tr>
11    <td>Ahmed</td>
12    <td>11</td>
13  </tr>
14 </table>
```

Name	Age
Mohamed	10
Ahmed	11

Formatting

Formatting Example

```
1 <b>This text is bold</b><br>
2 <strong>This text is important!</strong><br>
3 <i>This text is italic</i><br>
4 <em>This text is emphasized</em><br>
5 <small>This is some smaller text.</small>
6 <p>The word <mark>Computer</mark> is marked or
   highlighted.</p><br>
```

This text is bold

This text is important!

This text is italic

This text is emphasized

This is some smaller text.

The word Computer is marked or highlighted.

Styles

Style Example

```
1 <body style="background-color:powderblue;">
2   <h1>This is a heading</h1>
3   <p>This is a paragraph.</p>
4 </body>
```

This is a heading

This is a paragraph.

Styles

Style Example

```
1 <body>
2   <h1 style="background-color:powderblue;">This is
      a heading</h1>
3   <p style="background-color:tomato;">This is a
      paragraph.</p>
4 </body>
```

This is a heading

This is a paragraph.

Introduction

- The HTML `<script>` tag is used to define a client-side script (JavaScript).
- Common uses for JavaScript are:
 - Dynamic changes of content
 - Image manipulation
 - Form validation
- To select an HTML element, JavaScript most often uses the `document.getElementById()` method.

Example

This JavaScript example writes "Hello JavaScript!" into an HTML element with id="demo":

JavaScript example

```
1 <script>
2   document.getElementById("demo").innerHTML = "
3     Hello JavaScript!";
4 </script>
```

Example

This JavaScript example changes the attribute **src** of of an HTML element with id="image":

JavaScript example

```
1 <script>
2   document.getElementById("image").src = "
3     picture.gif";
4 </script>
```

Introduction

- Cascading Style Sheets (CSS) is used to format the layout of a webpage.
- CSS can control:
 - Color
 - Font
 - Text size
 - Spacing
 - Position
 - Background
 - Different styles for different resolutions
 - ...

Forms of using CSS

- **Inline**, when using the style attribute inside HTML elements

```
1 <h1 style="color:blue;">A Blue Heading</h1>
```

- **Internal**, when using a <style> element in the <head> section

```
1 <style>
2   h1 {color: blue;}
3 </style>
```

- **External**, when using a <link> element to link to an external CSS file

```
1 <link rel="stylesheet" href="styles.css">
```

Questions ?